

**TEST REPORT**

**Issued to: Eden**

Nongthymmai Shilong-793014, India

J.O. No.: FL/FA/19052025-001  
 ULR Code: TC5503 25 0 00063256 F  
 Report Date: 24/05/2025  
 Sample Receipt Date: 19/05/2025  
 Account Manager: BD Team 32  
 Credit Manager: Gulab Singh

**Customer Provided Information: #**

Nature/Name of the Sample

: Lakadong Turmeric

**Laboratory Provided Information:**

Sample Quantity

: 2x60g, Sealed Paper Pack

Date of Performance of Test

: 19<sup>th</sup> - 24<sup>th</sup> May, 2025

Method of Sampling

: The sample is provided by Eden, FARE Labs.



**Physical Description:** Lakadong Turmeric, Free from foreign matter.

**Analysis Report**

**No Pesticides Detected**

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
<b>Chemical Analysis:</b>				
1	Color Value as Curcumin, % by wt.	8.28	NLT 2	IS 1797

NLT=Not Less Than

**High Curcumin**

**Scientifically Tested By Independent NABL Accredited & FSSAI Certified Lab**

- NO PESTICIDES and Harmful Chemicals Detected
- Single Ingredient, Single Origin. Naturally Grown Pure Lakadong Turmeric

*Reviewed By*

*Authorised Signatory*  
 Mr. Piyush Jai Mallick, Scientist-C

**NOTE:** The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at [report.confirmation@farelabs.com](mailto:report.confirmation@farelabs.com). FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at [feedback@farelabs.com](mailto:feedback@farelabs.com) and call at +91 9312664533. The Sample is not drawn by FARELabs.

**#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.**

### TEST REPORT

**Issued to: Eden**

Nongthymmai Shilong-793014, India

J.O. No.: FL/FA/19052025-001  
 ULR Code: TC5503 25 0 00063256 F  
 Report Date: 24/05/2025  
 Sample Receipt Date: 19/05/2025  
 Account Manager: BD Team 32  
 Credit Manager: Gulab Singh



### Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
<b>Heavy Metals:</b>				
1	Lead, mg/kg	BLQ, [LOQ-0.1]	NMT 10	FL/SOP/12-17
2	Copper, mg/kg	1.13	NMT 5.0	FL/SOP/12-17
3	Arsenic, mg/kg	BLQ, [LOQ-0.1]	NMT 0.1	FL/SOP/12-17
4	Tin, mg/kg	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/12-17
5	Cadmium, mg/kg	BLQ, [LOQ-0.1]	NMT 0.1	FL/SOP/12-17
6	Mercury, mg/kg	BLQ, [LOQ-0.1]	NMT 1.0	FL/SOP/12-17
7	Methyl Mercury Calculated as element, mg/kg	BLQ, [LOQ-0.1]	NMT 0.25	FL/SOP/12-17
<b>Pesticides Residues: mg/kg</b>				
1	2,4-Dichlorophenoxy Acetic Acid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
2	Sum of benomyl and carbendazim expressed as carbendazim	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
3	Carbaryl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
4	Carbendazim	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
5	Carbofuran	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
6	Chlorpyrifos	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
7	Deltamethrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
8	Dichlorvos	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
9	Dithiocarbamates as CS2	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-04
10	Ethion	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
11	Malathion	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
12	Monocrotophos	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
13	Oxydemeton-Methyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
14	Paraquat dichloride	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
15	Phenthoate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
16	Phorate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
17	Pirimiphos-methyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
18	Thiometon	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
19	Trichlorfon	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
20	Acephate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
21	Acetamiprid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
22	Anilophos	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
23	Azimsulfuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01

BLQ= Below Limit of Quantification; LOQ=Limit of Quantification; NMT=Not More Than

Reviewed By 

Page 2 of 9

Authorized Signatory  
 Mr. Mithlesh Kumar, Scientist-B

**NOTE:** The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at [report.confirmation@farelabs.com](mailto:report.confirmation@farelabs.com). FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at [feedback@farelabs.com](mailto:feedback@farelabs.com) and call at +91 9312664533. The Sample is not drawn by FARELABS.  
 #: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

**TEST REPORT**

**Issued to: Eden**

Nongthymmai Shilong-793014, India

J.O. No.: FL/FA/19052025-001  
 ULR Code: TC5503 25 0 00063256 F  
 Report Date: 24/05/2025  
 Sample Receipt Date: 19/05/2025  
 Account Manager: BD Team 32  
 Credit Manager: Gulab Singh



**Analysis Report**

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
<b>Pesticide Residues, mg/kg:</b>				
24	Azoxystrobin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
25	Benfuracarb	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
26	Bensulfuron Methyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
27	Bifenthrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
28	Bispyribac Sodium	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
29	Buprofezin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
30	Butachlor	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
31	Captan	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
32	Carbosulfan	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
33	Carfentrazone Ethyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
34	Carpropamid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
35	Cartap Hydrochloride	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
36	Chlorantranilprole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
37	Chlorimuron ethyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
38	Chlothianidin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
39	Chromafenozide	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
40	Cinmethylen	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
41	Clomazone	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
42	Copper Hydroxide as copper	1.13	NMT 30	FL/SOP/12-03
43	Cyhalofop-butyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
44	Cypermethrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
45	Difenoconazole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
46	Dinotefuran	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
47	Mancozeb as Cs2	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-04
48	Edifenphos	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
49	Epoxyconazole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
50	Ethofenprox	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
51	Ethoxysulfuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
52	Fenobucarb	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
53	Fenoxaprop-p-ethyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
54	Fenpropathrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
55	Fipronil	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
56	Flonicamid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
57	Flubendiamide	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
58	Flufenacet	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
59	Flusilazole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01

BLQ=Below Limit of Quantification; LOQ=Limit of Quantification; NMT=Not More Than

Reviewed By: \_\_\_\_\_

Authorised Signatory  
 Mr. Mithilesh Kumar, Scientist-B

**NOTE:** The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at [report.confirmation@farelabs.com](mailto:report.confirmation@farelabs.com). FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at [feedback@farelabs.com](mailto:feedback@farelabs.com) and call at +91 9312664533. The Sample is not drawn by FARELabs.

**TEST REPORT**

**Issued to: Eden**


Nongthymmai Shilong-793014, India

J.O. No.: FL/FA/19052025-001  
 ULR Code: TC5503 25 0 00063256 F  
 Report Date: 24/05/2025  
 Sample Receipt Date: 19/05/2025  
 Account Manager: BD Team 32  
 Credit Manager: Gulab Singh



**Analysis Report**

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
<b>Pesticide Residues, mg/kg:</b>				
60	Glyphosate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
61	Hexaconazole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
62	Imidacloprid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
63	Indoxacarb	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
64	Iprobenfos	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
65	Iprodione	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
66	Isoprothiolane	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
67	Kasugamycin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
68	Lambda cyhalothrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
69	Methyl Chlorophenoxy Acetic Acid (MCPA)	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
70	Methyl Parathion	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
71	Metsulfuron Methyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
72	Oxadiargyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
73	Oxadiazon	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
74	Oxyfluorfen	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
75	Pencycuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
76	Pendimethalin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
77	Penoxuslum	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
78	Picoxystrobin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
79	Pretilachlor	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
80	Propiconazole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
81	Propineb	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
82	Pyraclostrobin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
83	Pyrazosulfuron ethyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
84	Pymetrozine	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
85	Quinaiphos	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
86	Tebuconazole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
87	Thiacloprid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
88	Thifluzamide	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
89	Thiamethoxam	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
90	Triazophos	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
91	Tricyclazole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
92	Validamycin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
93	Propanil	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
94	Thiocyclam Hydrogen Oxalate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
95	Bentazone	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01

BLQ=Below Limit of Quantification; LOQ=Limit of Quantification; NMT=Not More Than  
 Reviewed By: 

**Authorised Signatory**  
 Mr. Mithilesh Kumar, Scientist-B

**NOTE:** The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at [report.confirmation@farelabs.com](mailto:report.confirmation@farelabs.com). FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at [feedback@farelabs.com](mailto:feedback@farelabs.com) and call at +91 9312664533. The Sample is not drawn by FARELABS.

#: The details are received from Customer own responsibility. FARE Labs does not Confirm it and hence does not take any responsibility whatsoever.  
 ISO 9001:2015      ISO 14001:2015      ISO 45001:2018      ISO / IEC 27001:2013

**TEST REPORT**

**Issued to: Eden**


Nongthymmai Shilong-793014, India

J.O. No.: FL/FA/19052025-001  
 ULR Code: TC5503 25 0 00063256 F  
 Report Date: 24/05/2025  
 Sample Receipt Date: 19/05/2025  
 Account Manager: BD Team 32  
 Credit Manager: Gulab Singh







**Analysis Report**

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
<b>Pesticide Residues, mg/kg:</b>				
96	Flucetosulfuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
97	Fluxapyroxad	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
98	Sulfoxaflor	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
99	Copper Oxychloride as copper	1.13	NMT 30	FL/SOP/12-03
100	Cuprous Oxide as copper	1.13	NMT 30	FL/SOP/12-03
101	Orthosulfamuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
102	Alachlor	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
103	Alpha naphthyl Acetic Acid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
104	Ametroctradin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
105	Atrazine	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
106	Beta Cyfluthrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
107	Bitertanol	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
108	Chlorfenapyr	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
109	Chlorfluazuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
110	Chlormequat Chloride	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
111	Chlorothalonil	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
112	Chlorpropham	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
113	Clodinafop-propargyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
114	Copper Sulphate as copper	1.13	NMT 30	FL/SOP/12-03
115	Cyantranilipole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
116	Cyazofamid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
117	Cymoxanil	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
118	Alpha Cypermethrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
119	Diafenthiuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
120	Diclofop	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
121	Diclosulam	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
122	Dicofol	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
123	Diflubenzuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
124	Dimethoate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
125	Dimethomorph	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
126	Dinocap	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
127	Dithianon	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
128	Ethylene bis- dithiocarbamates as CS2	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-04
129	Metiram as CS2	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-04
130	Zineb as CS2	BLQ, [LOQ-0.01]	NMT 0.1*	FL/SOP/05-04
131	Diuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01

BLQ=Below Limit of Quantification; LOQ=Limit of Quantification; NMT=Not More Than  
 Reviewed By 

**Authorised Signatory**  
 Mr. Mithilesh Kumar, Scientist-B

**NOTE:** The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at [report\\_confirmation@farelabs.com](mailto:report_confirmation@farelabs.com). FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at [feedback@farelabs.com](mailto:feedback@farelabs.com) and call at +91 9312664533. The Sample is not drawn by FARELABS.

ISO 9001:2015  ISO 14001:2015  ISO 45001:2018  and hence does not take any responsibility whatsoever.  ISO / IEC 27001:2013

**TEST REPORT**

**Issued to: Eden**


Nongthymmai Shilong-793014, India

J.O. No.: FL/FA/19052025-001  
 ULR Code: TC5503 25 0 00063256 F  
 Report Date: 24/05/2025  
 Sample Receipt Date: 19/05/2025  
 Account Manager: BD Team 32  
 Credit Manager: Gulab Singh



**Analysis Report**

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
<b>Pesticide Residues, mg/kg:</b>				
132	Dodine	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
133	Emamectin Benzoate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
134	Ethephon	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
135	Etoxadole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
136	Famoxadone	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
137	Fenamidone	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
138	Fenarimol	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
139	Fenazaquin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
140	Fenpyroximate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
141	Fenvalerate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
142	Fluazifop-p-butyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
143	Fluchloralin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
144	Fluvalinate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
145	Forchlorfenuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
146	Fosetyl-Al	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
147	Glufosinate Ammonium	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
148	Halosulfuron methyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
149	Hexazinone	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
150	Hexythiazox	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
151	Hydrogen Cyanamide as Cyanamide	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/01-126
152	Iodosulfuron Methyl Sodium	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
153	Imazethapyr	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
154	Isoproturon	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
155	Kresoxim Methyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
156	Linuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
157	Lufenuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
158	Mandipropamid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
159	Mepiquat Chloride	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
160	Mesosulfuron Methyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
161	Metaflumizone	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
162	Metalaxyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
163	Metalaxyl-M	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
164	Methabenzthiazuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
165	Methomyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
166	Metolachlor	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
167	Metribuzin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01

BLQ=Below Limit of Quantification; LOQ=Limit of Quantification; NMT=Not More Than  
 Reviewed By 

**Authorised Signatory**  
 Mr. Mithilesh Kumar, Scientist-B

**NOTE:** The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at [report.confirmation@farelabs.com](mailto:report.confirmation@farelabs.com). FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at [feedback@farelabs.com](mailto:feedback@farelabs.com) and call at +91 9312664533. The Sample is not drawn by FARELABS.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm it and hence does not take any responsibility whatsoever.

**TEST REPORT**

**Issued to: Eden**

Nongthymmai Shilong-793014, India

J.O. No.: FL/FA/19052025-001  
 ULR Code: TC5503 25 0 00063256 F  
 Report Date: 24/05/2025  
 Sample Receipt Date: 19/05/2025  
 Account Manager: BD Team 32  
 Credit Manager: Gulab Singh



**Analysis Report**

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
<b>Residues:</b>				
168	Milbemectin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
169	Myclobutanil	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
170	Novaluron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
171	Paclobutrazol	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
172	Penconazole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
173	Permethrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
174	Phosalone	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
175	Pinoxaden	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
176	Profenofos	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
177	Prohexadione calcium	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
178	Propaquizafop	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
179	Propargite	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
180	Pyridalyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
181	Pyriproxyfen	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
182	Pyriithiolac Sodium	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
183	Quizalofop ethyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
184	Quizalofop-P-tefuryl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
185	Sodium Aceflourofen	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
186	Spinosad	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
187	Spiromesifen	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
188	Sulfosulfuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
189	Thiodicarb	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
190	Thiophanate-Methyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
191	Tolfenpyrad	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
192	Triacontanol	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
193	Tradimefon	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
194	Trifloxystrobin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
195	Triallate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
196	Triasulfuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
197	Tridemorph	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
198	Trifluralin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01

**BLQ=Below Limit of Quantification; LOQ=Limit of Quantification; NMT=Not More Than**

Reviewed By 

Page 6 of 9

Authorized Signatory 

Mr. Mithilesh Kumar, Scientist-B

**NOTE:** The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9312664533. The Sample is not drawn by FARELABS.

**#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.**

**TEST REPORT**

**Issued to: Eden**

Nongthymmai Shilong-793014, India

J.O. No.: FL/FA/19052025-001  
 ULR Code: TC5503 25 0 00063256 F  
 Report Date: 24/05/2025  
 Sample Receipt Date: 19/05/2025  
 Account Manager: BD Team 32  
 Credit Manager: Gulab Singh



**Analysis Report**

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
<b>Residues:</b>				
199	Fluopicolide	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
200	Tembotrione	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
201	Fluopyram and its metabolites	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
202	Topramezone	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
203	2,4-D Amine Salt	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
204	Ametyrn	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
205	Fomesafen	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
206	Imazamox	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
207	Spinetoram	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
208	Sodium Para Nitro Phenolate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
209	Cyflumetofen	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
210	Boscalid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
211	Haloxyfop-R Methyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
212	Sulfentrazone a	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
213	Spirotetramat	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
214	Metrafenone	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
215	Tetraconazole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
216	Abamectin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
217	Flupyradifuronee	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01

**BLQ**=Below Limit of Quantification; **LOQ**=Limit of Quantification; **NMT**=Not More Than

Reviewed By 

Authorised Signatory  
 Mr. Mithilesh Kumar, Scientist-B 

**NOTE:** The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at [report\\_confirmation@farelabs.com](mailto:report_confirmation@farelabs.com). FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at [feedback@farelabs.com](mailto:feedback@farelabs.com) and call at +91 9312664533. The Sample is not drawn by FARELABS.  
 #: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

**TEST REPORT**

**Issued to: Eden**

Nongthymmai Shilong-793014, India

J.O. No.: FL/FA/19052025-001  
 ULR Code: TC5503 25 0 00063256 F  
 Report Date: 24/05/2025  
 Sample Receipt Date: 19/05/2025  
 Account Manager: BD Team 32  
 Credit Manager: Gulab Singh



**Analysis Report**

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
<b>Banned Pesticide, mg/kg:</b>				
1	Aldicarb	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
2	Aldrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
3	Dieldrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
4	Chlordane	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
5	Heptachlor	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
6	Lindane (Gamma-HCH)	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
7	Endosulfan	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
8	Phosphamidon	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
9	Captafol	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
10	Formothion	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
11	Simazine	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/03-01
12	Diazinon	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
13	2,4-DDD	BLQ, [LOQ-0.01]	NMT 0.05	FL/SOP/05-01
14	4,4-DDD	BLQ, [LOQ-0.01]	NMT 0.05	FL/SOP/05-01
15	2,4-DDE	BLQ, [LOQ-0.01]	NMT 0.05	FL/SOP/05-01
16	4,4-DDE	BLQ, [LOQ-0.01]	NMT 0.05	FL/SOP/05-01
17	2,4-DDT	BLQ, [LOQ-0.01]	NMT 0.05	FL/SOP/05-01
18	4,4-DDT	BLQ, [LOQ-0.01]	NMT 0.05	FL/SOP/05-01
19	Fenitrothion	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
20	Fenthion	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
21	Ethyl Parathion	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-01
22	Ferbam as CS2	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/05-04

**BLQ**=Below Limit of Quantification; **LOQ**=Limit of Quantification; **NMT**=Not More Than

**Note:** \* = 5% of the maximum limits prescribed or Level of Quantification (LOQ) Whichever is higher as per food safety and standards (organic Foods) Regulation, 2017.

**Inference:** The tested sample **conforms** to FSSAI Food safety and Standards (Organic foods) Regulations, 2017 w.r.t. above test.

Reviewed By 

Authorised Signatory  
 Mr. Mithilesh Kumar, Scientist-B

**NOTE:** The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9312664533. The Sample is not drawn by FARELABS.  
 #: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

\*\*\*\*End of Report\*\*\*\*

FL/T/GEN/F05